



EPDM				 SEALS - Part of Diploma PLC
Material Safety Data Sheet	Compound	EPDM	Rev. 0	
	Designation	EPDM	02-2016	
NOTE: This Material is a fully vulcanized rubber and will not release any products unless under fire.				

1.	PRODUCT AND COMPANY IDENTIFICATION
PRODUCT NAME:	Ethylene-propylene-diene rubber
SYNONYMS:	EPDM
PRODUCT CODES:	
MANUFACTURER:	M Seals A/S
DIVISION:	
ADDRESS:	Bybjergvej 13 , 3060 Espergærde, Denmark
EMERGENCY PHONE:	+45 19130205
CHEMICAL NAME:	EPDM
CHEMICAL FAMILY:	Ethylene-propylene-diene rubber
PRODUCT USE:	O-rings, gaskets etc.
SECTION 1 NOTES:	This MSDS is based on a fully vulcanized rubber and will not release any substances during normal use.

2.	COMPOSITION/INFORMATION ON INGREDIENTS			
Ingredient:	% weight:	CAS No.	Hazard class*:	Risk phrase*:
Ethylene-Propylene-Diene polymer with curatives, additives, fillers, oils and anti-degradants added for specific material properties.	Percentage composition not available.	Not allocated	Not applicable	Not applicable
*Hazard class & Risk phrase These columns are only completed for ingredients which is classified as hazardous and is present in a sufficient concentration to make the overall substance hazardous.				

3.	HAZARDS IDENTIFICATION
These products when handled according to good working and hygienic practices are not dangerous to human health and the environment. However, degradation by chemicals, aging, heat or fire may produce a toxic and/or corrosive residue depending on the circumstances of degradation and other materials involved.	


EPDM				 SEALS - Part of Diploma PLC
Material Safety Data Sheet	Compound	EPDM	Rev. 0	
	Designation	EPDM	02-2016	

4.	FIRST AID MEASURES
Eyes:	No effects requiring first aid are expected during normal use. However, if small particles enter the eye, flush with sterile water. If irritation persists seek medical attention.
Skin:	No effects requiring first aid are expected during normal use. After contact with skin wash with soap and water.
INGESTION:	No effects requiring first aid are expected during normal use. If ingested do not induce vomiting and drink copious amount of water.
INHALATION:	No effects requiring first aid are expected during normal use. If exposed to fumes received from decomposition products, remove patient to fresh air. If breathing problems occur seek immediate medical attention.

5.	FIRE-FIGHTING MEASURES
Extinguishing media:	Water spray, dry powder, carbon dioxide and foam
Fire and explosion hazard:	Once ignited, rubber will continue to burn with dense smoke. The product is non-combustible. If heated, toxic vapors may be formed. Burning this material, or exposing it to temperatures above 300 °C may result in the release of irritating fumes. Hazardous decomposition products resulting from overheating or combustion: Alcohols, Carbon Dioxide, Carbon Monoxide, Hydrocarbons
Special protection equipment:	Inhalation of fumes must be avoided. Fire fighters should wear a self-contained breathing apparatus which meets appropriate standards operated in positive pressure mode, and full turnout gear. Wear adequate skin protection to protect from thermal combustion products.

6.	ACCIDENTAL RELEASE MEASURES
	No material specific actions are required. Collect the spilled material and reuse or dispose as in section 13.

7.	SAFETY PRECAUTIONS HANDLING AND STORAGE
Handling.	No special precautions required.
Storage:	Store in cool and well ventilated area away from direct sunlight and sources of ignition. Store in original packaging showing codes and date of manufacture.

EPDM				 M SEALS <i>- Part of Diploma PLC</i>
Material Safety Data Sheet	Compound	EPDM	Rev. 0	
	Designation	EPDM	02-2016	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering measures::	Not required under conditions of normal use
Respiratory protection:	Not required under conditions of normal use
Hand and skin protection:	Not required under conditions of normal use
Eye protection:	Not required under conditions of normal use Wear safety glasses during machining.
Other protection:	Not required under conditions of normal use
Work hygiene:	Wash hands after handling.
EXPOSURE GUIDELINES:	Not required under conditions of normal use

9. PHYSICAL AND CHEMICAL PROPERTIES


Appearance:	Solid state rubber
Odour:	Mild aromatic
Physical state:	Solid
Solubility in water:	Insoluble
Flash point:	>250°C
Freezing point:	N.A.
C:	
Vapor pressure (mmHg):	N.A.
Specific gravity :	0,80 to 1,65 g/cm ³

10. STABILITY AND REACTIVITY

Stability:	Stable under normal conditions
Thermal decomposition:	Above 200°C
Hazardous decomposition:	Hazardous decomposition products resulting from overheating or combustion: Alcohols, Carbon Dioxide, Carbon Monoxide, Hydrocarbons

11. TOXICOLOGICAL INFORMATION

For a comprehensive description for the various toxicological (health) effects which may arise if the user comes into contact with the substance refer to section 3, "hazards identification"

EPDM				 M SEALS - Part of Diploma PLC
Material Safety Data Sheet	Compound	EPDM	Rev. 0	
	Designation	EPDM	02-2016	

12. ECOLOGICAL INFORMATION

The ecological effects of the products have not been established. The product is not expected to be substantially biodegradable.
The material contains no Chloroflourocarbons(CFC)

13. DISPOSAL CONSIDERATIONS

Disposal must be in accordance with local authority and national regulations.

14. TRANSPORT INFORMATION

The product is not classified as dangerous under transport regulations.

15. REGULATORY INFORMATION

Conforming to EU regulation EC1907/2006 (Reach)

Classified as dangerous: No

Risk Phrases: Not applicable

Safety phrases: Not applicable

Symbols: None

16. OTHER INFORMATION

OTHER INFORMATION: None

DISCLAIMER: The information contained herein is based on our state of knowledge on the day of issue.
It is the duty of the end user to ensure that this information is sufficient and complete with respect to the intended use.

Date:

23/2-2016

Sign:

M. Roselt